



















- 10
- 15










5

10



4. A method according to Claim 3 wherein the chemotherapeutic agent is selected from the group consisting of cisplatin, cyclophosphamide, 5-fluorouracil, doxorubicin and taxol.






5. A method treating or preventing a neoplasia disease comprising administering to a mammal in need of treatment for a neoplasia disease a therapeutically effective amount of a compound of the formula:



wherein X and Y are the same or different halo group; R is H or lower alkyl; or a pharmaceutically acceptable salt thereof; together with a chemotherapeutic agent.

6. A method according to Claim 5 wherein the chemotherapeutic agent is selected from the group consisting of cisplatin, cyclophosphamide, 5-fluorouracil, doxorubicin and taxol.
7. A method according to Claim 5 wherein the compound is selected from the group consisting of














5

10

10016146-121001





5

10

15

8. A method according to Claim 7 wherein the chemotherapeutic agent is selected from the group consisting of cisplatin, cyclophosphamide, 5-fluorouracil, doxorubicin and taxol.
9. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to Claim 1, a chemotherapeutic agent and a pharmaceutically acceptable carrier.



10. A method according to Claim 5 wherein the neoplasia disease is tumor metastasis.
- 5 11. A method according to Claim 5 wherein the neoplasia disease treated is solid tumor growth.
12. A method according to Claim 5 wherein the condition treated is angiogenesis.
- 10 13. A method according to Claim 5 wherein the neoplasia disease is humoral hypercalcemia of malignancy.

10016145 124001  
"SECRET"